# GRAS RA0003

Adapter for 1/2" microphone and 1/4" preamplifier





Length: 10 mm Inner threading for preamp.: 5.70-60 UNS-2 Outer threading for mic.: 11.70-60 UNS-2

Material: stainless steel

The GRAS RA0003 is a straight adapter, for placing between a 1/2" microphone and a 1/4" preamplifier.



# Introduction

The GRAS RA0003 can be used with any standard 1/2" microphone and 1/4" preamplifier such as the GRAS 26AC. This adapter is typically used in a Sound Intensity Probe (included with the phased matched 1/2" microphones) where it is used together with the corresponding angled adapter GRAS RA0001.

# **Quality & Warranty**

GRAS accessories are made of stainless steel, alloys and high-quality composites. These items are covered by a 2 year warranty respecting their intended use.

On consumables like batteries, cables and windscreen we offer a 6 month warranty.





# **GRAS** Worldwide

Subsidiaries and distributors in more than 40 countries

# **HEAD OFFICE, DENMARK**

# **GRAS SOUND & VIBRATION**

Skovlytoften 33 2840 Holte Denmark Tel: +45 4566 4046 www.grasacoustics.com gras@grasacoustics.com

#### ΙΙςΔ

# **GRAS SOUND & VIBRATION**

5750 S.W. Arctic Drive Beaverton, OR 97005 Tel: 503-627-0832 Toll Free: 800-231-7350 www.grasacoustics.com sales-usa@grasacoustics.com

#### АИІН

# **GRAS SOUND & VIBRATION**

Room 303, Building T6 Hongqiaohui, 990, Shenchang Road Minhang District, Shanghai China. 201106 Tel: +86 21 64203370 www.gras.com.cn



# **ABOUT GRAS SOUND & VIBRATION**

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones to industries where acoustic measuring accuracy and repeatability is of utmost importance in R&D, QA and production. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, and consumer electronics. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect and trust.

GRAS Sound & Vibration