

GRAS RA0202

Pistonphone Calibration Adapter for 1/4" Surface Microphone Sets



Adapter
Correction factors: none

This is a pistonphone adapter for sensitivity calibration of our precision 1/4" surface microphone sets. The adapter is designed for laboratory calibration and can also be used for in-situ verification.

Introduction

The GRAS RA0202 is an adapter to be used for sensitivity calibration of GRAS 40LA & 40LS 1/4" Surface Microphone Sets using a GRAS Pistonphone. The adapter is provided with a holder arm which keeps the microphone firmly attached during laboratory calibration. This adapter is also suitable for in-situ verification.

Quality & Warranty

GRAS accessories are made of stainless steel, alloys and high-quality composites. These items are covered by a 2 year warranty respecting their intended use.

On consumables like batteries, cables and windscreen we offer a 6 month warranty.

GRAS Worldwide

Subsidiaries and distributors in more
than 40 countries

HEAD OFFICE, DENMARK GRAS SOUND & VIBRATION

Skovlytoften 33
2840 Holte
Denmark
Tel: +45 4566 4046
www.grasacoustics.com
gras@grasacoustics.com

USA GRAS SOUND & VIBRATION

5750 S.W. Arctic Drive
Beaverton, OR 97005
Tel: 503-627-0832
Toll Free: 800-231-7350
www.grasacoustics.com
sales-usa@grasacoustics.com

CHINA GRAS SOUND & VIBRATION

Room 303, Building T6
Hongqiaohui, 990, Shenchang Road
Minhang District, Shanghai
China, 201106
Tel: +86 21 64203370
www.gras.com.cn
cnsales@grasacoustics.com



ABOUT GRAS SOUND & VIBRATION

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones to industries where acoustic measuring accuracy and repeatability is of utmost importance in R&D, QA and production. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, and consumer electronics. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect and trust.

GRAS Sound & Vibration